


20-Gallon Single Stage – Electric

If you need a lot of air capacity on the go look no further. This machine is designed for the tough jobs where a lot of air capacity is required to run multiple air tools. Portable enough to transport from jobsite to jobsite it easily maintains the power needed for really big projects.



AM1-PE15-20M



NEMA 5-15P, 15-amp plug
NEMA 5-20P, 20-amp plug

Compressor Pump:

Splash lubricated ■ Stainless-steel braided discharge hose ■ Large canister intake filter ■ Oil level sight indicator

Motor:

Auto start/stop - continuous run optional ■ Thermal overload motor protection

Frame:

Powder coated ASME coded 20-gallon receiver tank ■ 3/16-inch base plate to reduce vibration ■ 16-gauge powder coated two-piece belt guard ■ 10-inch flat-free tires

Components:

Regulator and two gauges for tank and outlet pressure ■ Manual drain valves for proper maintenance ■ 10-inch fly wheel ■ Industrial-grade pressure switch

Limited Warranties:

1 year electric motor ■ 2 year pump exchange (see page 77 for more information)

Certifications:

CSA Certified - Canada only ■ ASME Boiler and Pressure Vessel Code - UM



MODEL NUMBER	CFM @ PSI	HORSEPOWER/MOTOR	COMPRESSOR	TANK SIZE	PLUG TYPE	DIMENSIONS (LxWxH)	SHIP WT.	NET WT.
AM1-PE15-20M	7.3 @ 90	1.5 HP, 120V, 13.2A	Single stage, cast iron	20-gallon	NEMA 5-15P	40x24x32in.	265 lb.	196 lb.
AM1-PE02-20M	9.2 @ 90	2.0 HP, 120V, 18.8A	Single stage, cast iron	20-gallon	NEMA 5-20P	40x24x32in.	272 lb.	203 lb.

Accessory & Options:

PART NUMBER	DESCRIPTION	FITS MODELS
AW-6000-1002	Equipment cover	All models
AX-0002	Auto drain/regulator/plastic bowl	All models
AX-0003	Manual drain/regulator/metal bowl	All models
AX-0008	Dual control - continuous run & auto start/stop	All models
AX-0027	Stationary kit	All models